

TATIARA DISTRICT COUNCIL

APPLICATION TO ALTER A PUBLIC ROAD PURSUANT TO SECTION 221 OF THE LOCAL GOVERNMENT ACT 1999

I/We
(the "Applicant")

Of
(Address)

hereby apply to **TATIARA DISTRICT COUNCIL**
(the "Council")

for an Authorisation to alter the road at
(exact location of proposed alteration)

pursuant to Section 221 of the Local Government Act 1999.

Note 1: The Act provides that a road extends from property boundary to property boundary and includes the carriageway, footpaths and verges.

Note 2: The following are considered road altering activities pursuant to the Act where it is an offence to undertake them without an Authorisation from the Council.

The Nature of the Proposed Alteration is: (Tick whichever is/are applicable)

- Alter the construction or arrangement of the road to facilitate access to/from property;
- Erect or install a structure (including pipes, wires, cables, fixtures, fittings or other objects) in, on, across, under or over the road;
- Change or interfere with the construction, arrangement or materials of the road;
- Change, interfere with or remove a structure (including pipes, wires, cables, fixtures, fittings or other objects) associated with the road;
- Plant, interfere with or remove a tree or vegetation from the road.

Details and Specifications for the Proposed Alteration are:

.....
.....
.....
.....

(Specify any structures or objects including details of location, extent of alteration, materials proposed. Attach plan, diagram)

Is the Proposed Alteration: (Tick whichever is applicable)

- Permanent
- Temporary - Indicate period

The issuing of this Authorisation is subject to:

- A. The Applicant agreeing to the General Conditions of Authorisation as contained herein;
- B. The Applicant agreeing to any/all Special Conditions that the Council may determine and attach to this Authorisation;
- C. The Applicant paying the prescribed fee.

TATIARA DISTRICT COUNCIL

General Conditions of Authorisation:

The Applicant further agrees:

1. For the term of the Authorisation, to comply with all applicable industry standards, health or safety standards, current standards of Standards Australia or any applicable Code of Practice.
2. To ensure that all works carried out are undertaken to the highest standard and are carried out promptly and with all due care, skill and diligence.
3. To ensure that any alteration to the road does not interfere with or cause damage to or in any way affect the property of any other person.
4. To comply with any direction given by any authority, statutory authority or Council to remove, maintain or otherwise modify the alteration to the road subject to this Authorisation.
5. That all fixtures and equipment erected or installed in, on, across, under or over the road remain the property of the Applicant pursuant to Section 209 of the Local Government Act, 1999.
6. For the term of the Authorisation, to maintain all fixtures and equipment erected or installed, or vegetation planted, in good condition and to recognised standards.
7. To indemnify the Council, its servants and/or agents against all actions, costs, claims and demands for injury, loss or damage arising out of or in relation to the alteration to the road, the granting of this Authorisation and the general and special conditions contained herein and such indemnity shall be in addition to any statutory immunity in favour of the Council.
8. For the term of the Authorisation, to take out and keep current a public liability policy of insurance to an appropriate level of cover per claim in respect of the alteration to the road or any activity arising out of or from the granting of this Authorisation by the Council.
9. At the expiration or earlier termination of this Authorisation to remove, if so directed by the Council, any structure or object erected or installed on the road and to reinstate the road to the satisfaction of the Council.
10. This Authorisation does not confer on the Applicant any exclusive right, entitlement or interest in the road and does not derogate from the Council's powers arising under the Local Government Act, 1999.

In making this application, I/we acknowledge that I/we have read, understand and agree to be bound by the Conditions of the Authorisation and declare that the particulars provided by me/us with regard to the Proposed Alteration are true and accurate.

Signed by Applicant/s Date

OFFICE USE ONLY

Application - Approved / Denied

Term of Approval -

Council Specification for Alteration to Road attached - YES / NO

Special Conditions attached - YES / NO

Name of Council Officer:

Position: Fee:

Signature: Date:

TATIARA DISTRICT COUNCIL

Authorisation to alter a public road pursuant to section 221
of the Local Government Act 1999

To ("Property Owner")

of (Address)

is hereby notified that TATIARA DISTRICT COUNCIL
(the "Council")

issued an Authorisation to alter the road at

.....
(exact location of proposed alteration)

for a period of **pursuant to Section 221 of**
the Local Government Act 1999 on / /

Name of Council Officer:

Position:

Fee:

Signature:

ADDITIONAL CONDITIONS THAT MUST BE COMPLIED WITH

1. Before any digging is commenced, SA Power Networks, SA Water, Telstra and Dial before you Dig (phone 1100) are to be contacted for the location of any services. Any damage to the services must be repaired by the service authority at your expense.
2. Consultation and approval form the Native Vegetation Council is required if work is being undertaken on road reserves where rare and endangered species of roadside vegetation has been identified. Phone 83039725
3. The pipe is to be laid so that it has a minimum of 400mm of cover above the top of the pipe.
4. The licensee is to be responsible for the safety of traffic during the installation of the pipe and due precautions are to be taken and adequate warning given to traffic to ensure safety. Approximately one half of the roadway is to remain open to traffic at all times. Contractor shall take the necessary precautions to ensure the safety of workers in accordance with AS1742 Part 3 (1996) "Traffic Control Devices for Works on Roads" as modified by the "Code of Practice for the Installation of Traffic Control devices in South Australia". The Contractor shall ensure that employees erecting signage hold a Certificate of Attainment in Workzone Traffic Management, which has been refreshed annually.
5. You are responsible for the reinstatement of the trench. The pipe is to be backfilled with suitable material and compacted. The trench surface is to be left and maintained by you at a level that does not create a hump or a depression.
6. All pipes that go under the road and carry liquid must be constructed such that water cannot leak out of the pipe into the trench and hence cause failure. It is advisable to sleeve the pipe in a larger pipe so that it is not squashed and can be removed at a later date.
7. The site shall be left in a neat and tidy condition and all surplus material is to be carted away.

TATIARA DISTRICT COUNCIL


SERVICE INSTALLATIONS ACROSS COUNCIL ROAD RESERVES

TRENCH REINSTATEMENT DETAILS

Note: Authorisation & approval under Section 221 must be obtained from Council prior to any works being undertaken in road reserves.

UNSEALED ROAD RESERVES

REFERENCE NO.....
PROJECT.....



Layer A – Bedding, side support and overlay to Service Authorities Specification; otherwise DS4b sand or equivalent.

Layer B – Selected backfill to service authorities specification; otherwise quarry rubble, minimum compaction 95% STD.

Layer C – Pavement: Minimum of 2 layers of 20 mm quarry rubble or equivalent in 150 mm layers, compacted to 95% modified.

W – trench width to suit service size; minimum 450 mm.

TATIARA DISTRICT COUNCIL

SERVICE INSTALLATIONS ACROSS COUNCIL ROAD RESERVES


TRENCH REINSTATEMENT DETAILS

Note: Authorisation & approval under Section 221 must be obtained from Council prior to any works being undertaken in road reserves.

**SEALED ROAD
RESERVES**

REFERENCE No.....

PROJECT.....



Layer A - Bedding, side support and overlay to Service Authorities Specification; otherwise DS4b sand or equivalent.

Layer B – Selected backfill to service authorities specification; otherwise quarry rubble, minimum compaction 95% STD.

Layer C – Pavement: Minimum of 2 layers of 20 mm quarry rubble or equivalent in 150 mm layers, compacted to 95% modified.

Layer D – Reinstatement with 14/7 double spray seal; C170.

W – trench width to suit service size; minimum 450 mm.

TATIARA DISTRICT COUNCIL

Applicant to provide either hand drawn location plan or a topography map showing where the work will be done.